


## Finger Protection Tape Ref:39-110-000

Finger Protection Tape is the ultimate finger & wrist protection from cuts, burns and abrasions. Because it is thin yet tough, it allows greater dexterity and sensitivity & is therefore superior to conventional stalls & gloves. It is a unique tape which sticks to itself, not to skin, yet breathes & actually improves your grip. Easily removed when work is done. 30 metres / roll, 20mm wide. Blue



## Jewellers Apron

Ref: 41-352-000

This jewellers apron is made from heavy duty blue denim. It measures 670mm wide x 950mm long with one centre breast pocket and one large waist pocket



## Respirator Face Mask Ref: 39-109-100

These respirators provide the same level of protection as the valve model (see Ref:39-109-000) but at a lower cost. Features include twin strap design, foam nose seal and flexible steel nose clip to ensure a good face seal over a wide range of face sizes. Ideal for use when polishing for short periods of time or to have on hand for the occasional 'Cyanfree' electroplating job.

Sold only in boxes of 10 masks



## Respirator/Face Mask with Valve

This respirator has a twin strap design, foam nose seal and steel nose clip to ensure a good seal over a wide range of face sizes. It has a unique valve which allows for your breath to be exhaled. This means the mask stays cool and comfortable to wear. Other flimsy masks are hot to wear as stale air stays trapped in the mask. Our mask meets Australian Standard AS1716 and has received other government approval. This low cost respirator will give you excellent protection against most polishing compound dust, some of which contains silica, some fumes from soldering and plating solutions. etc.

Ref: 39-109-000

This respirator is suitable for use with products such as: Auflux, Activax, Rumble Bright, Shofu Points, Silicon Carbide, Dialux, Tripoli, Cyanfree Plating Solution.



## Low Maintenance Respirator

Soft silicon face piece with matt finish face seal to reduce slippage. This half face respirator offers lightweight easy breathing protection with the advantage of low maintenance and easy cleaning. When the filters are used to capacity they are quickly and easily replaced.

This respirator is suitable for use with products such as: Investment Powder, Masking Paint, Electroforming Paint, Rhodium Plating Solution.



**Gas and Vapour Filters** Ref: 39-108-100 These filters have been designed for easy attachment to the facepiece. Simply twist off, discard and replace just as easily with new ones.

**3M Particulate Filter & Retainer** Ref: 39-108-200

## Leather Finger Guards

Protect your fingers from heat and dirt while polishing.

### Reference

04-800-000

04-805-000



### Description

Finger- Closed ends

Thumb- Closed ends

### Reference

04-810-000

04-815-000



### Description

Thumb- Open end, elasticised

Finger- Open end, elasticised.

## Safety Eyewear

### Safety Spectacles

Ref: 39-155-000

Designed to fit right to your face to surround the eye area, Polycarbonate lenses shield your eyes from a variety of hazards- impact, splash and spark conditions. Will fit over most types of prescription glasses.



### Bolle Bandit

Ref: 39-160-000

Polarised Poly-carbonate Lens is combined with the style and comfort

of Bolle spectacles to provide eye- protection from UVA and UVB rays as well as a variety of light impact, splash and spark hazards. Also features Stylish Black Frame with Integrated Side Shields and Coated Scratch & Fog Resistant Lens.



Polishing Compounds - Always wear protective clothing and safety equipment when polishing. See Polishing page 101				
	06-015-000	Vonax Tan	Polishing compound for perspex, plastics and bone	810g bar
	06-020-000	Lustre Tripoli (Red/Brown)	General purpose primary polishing compound will remove scratches. Leaves metal with dull finish.	830g bar
	06-025-000	Carbarax Grey	Primary polish for mild steel, stainless steel. Gives semi-mirror finish.	800g bar
	06-026-000	Hyfin White	Final polishing compound for silver and s/steel.	810g bar
	06-027-000	Green Rouge BBB	Produces excellent final polish on chrome, stainless steel and platinum.	500g bar
	06-028-000	Lea Compound	Produces a brushed effect similar to 1G emery paper, good for removing file marks.	850g bar
	06-029-000	Bobbing Grease	For fast metal removal or pre-polish.	325g bar
	06-030-000	Blue Tripoli (Steelbrite)	Final polish for silver, stainless steel, aluminium, brass and copper.	800g bar
	06-031-000	Tin Oxide Powder	For removing scratch marks from opal, onyx etc. Use with Magnum Polisher Ref: 08-525-000	50g bag
	06-033-000	Pumice Powder	For metal cleaning & cutting. Removes scratches on glass.	200g jar
	06-039-000	Fabulustre	Special polishing compound will remove light scratches & still produce a bright final finish.	150g bar
	06-040-000	Cannings AA Rouge	For final high polish on gold and silver.	240g bar
	06-155-000	Luxor Orange	For extremely good bright finish on precious & fragile metals used with a cotton buff	110g bar
	06-156-000	Luxor Grey	For platinum. Use on a stiff cotton buff	110g bar
	06-210-000	Dialux- White	Universal compound for lustre finish on all metals.	150g bar
	06-220-000	Dialux- Blue	Universal compound for high lustre finish on all metals. Produces a real super lustre.	150g bar
	06-230-000	Dialux- Green	For final polish of special steels & hard steel alloys, chromium, cobalt, platinum.	150g bar
	06-240-000	Dialux- Rouge	Red rouge produces high lustre finish on gold and silver.	150g bar
	06-250-000	Dialux- Yellow	For final polishing on plastics and all soft metals (copper, bronze, brass, aluminium, and glass).	150g bar
	06-555-000	Rouge Powder Red	Use on platinum, gold, silver. Can be mixed with water. Can be used with hard buffs or felts.	250g jar
	06-070-080	Nikkokenzaisha 800 cut	White Platinum Polishing Compound.	400g bar
	06-070-150	Nikkokenzaisha 1500 cut	White Platinum Polishing Compound.	400g bar
	06-070-400	Nikkokenzaisha 4000 cut	White Platinum Polishing Compound	250g bar
	06-070-800	Nikkokenzaisha 8000 cut	White Platinum Polishing Compound.	250g bar

## Mounted Solid Felt Points

Minature felt points are ideal for polishing or pre-polishing inside hard to reach areas, high relief areas of oxidised metal (for antique look) and small outside flat surfaces. Use with your favourite pre-or final polishing compound.



Bud	Barrel	Flat Cone	Pointed Cone	Inverted Cone	Square Wheel	Knife Wheel	Felt Laps
07-452-000	07-450-000	07-456-000	07-454-000	07-464-000	07-458-000	07-460-000	07-462-000

## Mounted Wheels - 22mm diameter



Cotton Fibres	Synth. Suede	Leather Laps	Calico Wheel	Felt Flap	Felt Flap
07-475-000	07-480-000	07-480-000	07-485-000	07-449-100	07-449-100
Holds the finest polish for a super lustre finish	Longer life smear-free finishing buff	Long life smear-free finishing buff	Use with Tripoli for pre-polish on small areas.	20mm dia. x 10mm.	30mm dia. x 20mm. The verticle flaps help keep heat to a minimum providing a faster fine finish.

## Pencil Brushes

Reference	Description
07-410-000	Black Bristle
07-411-000	Goatshair
07-425-000	Brass
07-438-000	Steel




## Cup Brushes

Reference	Description
07-406-000	White Bristle
07-408-000	Black Bristle
07-415-000	Brass
07-440-000	Steel



**Looking for?**

Dullmatting Brushes, Rubber Polishing wheels & points See Abrasives pages 4 & 5.




## Mounted Brushes (22mm diameter)

Reference	Description	Reference	Description	Reference	Description
07-402-000	Black Bristle (soft)	07-404-000	White Bristle	07-405-000	Black Nylon (hard)
07-420-000	Brass	07-430-000	Steel	07-469-500	Goatshair 14mm
07-469-000	Goatshair 19mm	07-470-000	Goatshair 22mm		



## Metal Centre Brush

Reference	Description
05-000-000	Black Bristle, white centre
05-000-100	Black Bristle, blue centre
05-004-000	Horsehair
05-030-000	Goatshair blue centre
05-030-100	Goatshair white centre
05-031-000	White Chungking Bristle
05-075-000	Crimp Steel



## Hypofix Wheel

Bristle wheels have cloth insert impregnated with rouge. Reduces dust and metal loss. Use very little pressure.

Reference	Diameter	Row
05-017-000	60mm	2 Bristle/1 cloth
05-018-000	80mm	3 Bristle/2 cloth



## Brass Wire Brushes

Surface finishing, produces a softer satin or matt finish. Wire 0.12mm diameter. Bristle wheels have cloth insert impregnated with rouge.

Diameter	Hub	Rows	Reference
55mm	Steel	1	05-040-000
90mm	Wood	4	05-055-000
102mm	Wood	4	05-060-000



## Black Bristle Brushes

Size	Hub	Reference
55mm	2row Plastic	05-001-000 Yellow
60mm	3row Wood	05-000-000
60mm	3row Wood	05-010-000
60mm	2row Wood	05-003-000
* 70mm	2row Plastic	05-002-000*
80mm	5row Wood	05-015-000
80mm	4row Plastic	05-020-000



\*This brush has 10mm bristle and 40mm hub

## Top Quality Solid Felt Wheels

Wheels are made from finest high density hard 100% pure wool felt. Used for polishing or lapping of metal and stones.



Reference	Diameter	Thickness
04-410-000	1 1/2" (38mm)	1/4" (6mm)
04-422-000	2" (50mm)	1/2" (12mm)
04-434-000	3" (70mm)	3/4" (20mm)
04-442-000	4" (102mm)	1" (25mm)
04-462-000	6" (152mm)	1" (25mm)

## Paramount Split Laps



6" Medium Ref: 04-400-000  
6" Rock Hard Ref: 04-402-000

## Satin Finish Buffs Mounted Satin Finish Buffs

- 07-529-000 Med
- 07-530-000 Fine
- 07-531-000 XFine



For use with a flex-drive to produce a satin finish on gold & silver.

## Satin Finish Buffs for the Polishing Lathe

Reference	Size	Grade	Type
04-208-060	100mm	Medium	4 lap
05-235-030	100mm	Coarse	Flap
05-235-020	100mm	Medium	Flap
05-235-010	100mm	Fine	Flap
05-235-000	100mm	XFine	Flap

These buffs are made from abrasive mesh (like Scotchbrite) layers from 3mm to 8mm thick to produce a satin finish or lightly deburr precious metals.



## Combination Felt

Ref: 04-650-000

Wheel and inside ring buffs provide quick inside and outside bracelet and ring polishing. 75 x 22-12mm.



## Solid Felt Ring Buff

Excellent for polishing inside rings.

Reference	Description
04-605-000	Rounded one end 75L x 20-16mm
04-605-100	Square both ends 70L x 25-15mm



## Cotton Ring Buff

Ref: 04-680-000

Cotton surface 75mm long, on wooden hub. Has cotton tail on end.

Also available Ref: 04-680-001 with solid felt cone end.



## Solid Felt Ring Buff

Ref: 04-606-000

Softer version of 04-605-000, with rounded tapered end. 100mm long x 22-16mm diameter

## Felt Ring Buffs (with wooden centre)

Reference	Description
04-620-000	75mm long
04-625-000	100mm long
04-630-000	150mm long



## Felt Bangle Buff

Ref: 04-660-000

Felt buffs with wooden hub for polishing inside and outside of bangles. Overall Size: 53mm x 90mm. Felt Size: Tapered from 50mm to 53mm diameter.



## Inside Ring Sander

Ref 04-600-000

Uniflex inside ring sander on wooden hub, 60mm.



## Habras Bristle Discs

Want to save time when polishing?

The Habras Brushes have a unique three-dimensional abrasive/flexible design that provides a uniform finish; use them for heavy cleaning, removing firescale and light oxide, pre-polishing, semi-finishing, blending, texturing and polishing. These discs provide the convenience of a pre-charged abrasive but they don't generate the heat that you get from rubber wheels. Embedded Cubitron mineral abrasive is harder than most metals. Use to remove oxides from jewellery without messy compounds. Ideal for cleaning and finishing hard-to-reach areas and fine detail. Last up to 10 times longer than conventional rubberized abrasives.



Mandrel is not included  
Use Mandrel  
Ref: 09-110-000 or  
Ref: 09-110-500

Colour	Grade	Grit	Pack of 48	Pack of 4
Yellow	Coarse	80-grit	07-401-501	07-401-511
Blue	Medium	400-grit	07-401-502	07-401-512
Peach	Fine	6-micron	07-401-503	07-401-513
Green	X-Fine	1-micron	07-401-504	07-401-514

## White Buffs

Made of finest quality, high thread count cloth for long life. Always use a separate mop for tripoli and rouge. All mops are now made in USA and are supplied with shellac stitched leather centres, that will grip firmly to the spindle without slipping.



## Tripoli Mop Muslin for Primary Polish

All the tripoli mops (80/80 weave) are yellow because they have been chemically treated, will be stiffer and hold your compound much better. They will last longer than 60/60 weave white buffs. Very effective for first stage polishing with tripoli.

Ref:	Description
04-205-000	4" x 50 fold, yellow
04-206-000	4" x 50 fold, 3 row, stitched, yellow
04-210-000	6" x 50 fold, yellow
04-211-000	6" x 50 fold, 4 row, stitched, yellow
04-212-000	6" x 75 Fold Yellow

## Dialux Mop

### Soft Muslin for Secondary Polish

White fine muslin buff with 80/80 weave which means more threads per inch than most other buffs. Slightly loose weave will hold rouge very well, but gives better finish and last longer than 60/60 weave buffs.

Ref:	Description
04-225-000	4" x 50 fold, 3 row
04-226-000	4" x 50 fold, stitched
04-230-000	6" x 50 fold
04-231-000	6" x 50 fold, 4 row, stitched
04-235-000	6" x 75 fold
04-240-100	10" x 100 fold

## Rouge Mop

### Double Swansdown (Flannel)

This is a soft unbleached double napped flannel with combed finish, will provide superior finish with rouge.

Ref:	Description
04-250-000	4" x 50 fold
04-251-000	4" x 50 fold, 3 row, stitched
04-245-000	5" x 50 fold
04-255-000	6" x 50 fold
04-256-000	6" x 50 fold, 4 row, stitched

## Suede Buffs

Soft 7-ply leather buffs hold polish compound very well to produce a super fine smear-free finish on Gold and Silver.

Ref: 04-204-100



## Knife Edge Felt Wheels

Reference	Diameter
04-510	2" (51mm)
04-520	3" (76mm)



## Felt Cones

Reference	Diameter	Length
04-740-000	12.5mm	25mm
04-745-000	19mm	38mm
04-750-000	25mm	50mm



## Cotton Buffs

Wooden Hub Soft cotton thread for final polish.



Reference	Description
04-005-000	60mm
04-015-000	70mm
04-020-000	100mm

### **\*\*Product Safety Warning\*\***

Some polishing products and compounds contain silica and show limited evidence of causing cancer in humans. IARC Class 2A. Use an approved safety mask & ensure adequate ventilation.

Prolonged exposure may cause lung injury (silicosis). Users must comply with all applicable health and safety regulations relating to the safe handling of crystalline silica. For more information see "Safety Information" on the specific products' Material Safety Data Sheet. For protective equipment see Polishing Safety Equipment on page 98.

## Berry Buffs - for Platinum


Chemically treated muslin buffs that feature excellent compound retention and good cutting action to reduce polishing time and produce a high lustre finish



150mm x 50ply stitched 4 rows Ref: 04-232-000  
100mm x 40ply stitched 3 rows Ref: 04-233-000

## Synthetic Suede Buffs

An excellent long life buff, the flap construction of these assist to keep heat to a minimum allowing for a faster polish. Will also hold polish very well. Produces a high lustre finish.



**Polishing Lathe Buff**  
Size: 100mm x 10mm  
Ref: 04-204-100

**Polishing Lathe Buff**  
Size: 100mm x 20mm  
Ref: 04-204-500

## DG Heavy Duty Bench Motors

Ref: 35-045-000 Two Speed - 1400rpm & 2800rpm,  
 Ref: 35-040-000 One Speed - 2800rpm

Made in Italy by **DG** (Carlo De Giorgi) these polishing lathes have been built for prolonged use in larger workshops.



Features include (both models):

- Powerful 500 watt motor (.67 hp)
- Quiet vibration free running
- Left & right side tapered spindles
- Right side wheel centre
- Quick change spindle extractors

Weight: 10.5 Kg

Size: 512mm (with spindles) x 155mm deep x 240mm high

## DG Compact Bench Motors

Ref: 35-047-000 Two Speed - 1400 rpm & 2800rpm  
 Ref: 35-042-000 One Speed - 2800 rpm

**300 watts**

Takes mops up to 150mm  
 Quiet vibration free operation  
 Complete with left and right side wheel spindles, quickchange spindle extractors and a right-hand side wheel centre. This compact unit is ideal for smaller workshops and retail stores. Weight: 10 Kg.  
 Size: 440mm (with spindles) x 125mm deep x 210mm high



## Bailo Heavy Duty Bench Motor

Ref: 35-056 Two Speed - 1400rpm & 2800rpm, 300watt  
 Ref: 35-055 One Speed - 2800rpm, 340 watt

These quality Italian made motors are built to run cool, exceptionally quiet & vibration free constantly for many hours. Ideal for workshops where prolonged use is required. Both machines feature well balanced fine spindles with quick change spindle extractors. A right hand side wheel centre is supplied to carry Airflex type wheels.



Weight  
13.6 Kg

## Abbot & Ashby Economy

Ref: 35-036-000

Single speed  
2800rpm  
Left and right spindles included

Will take up to 150mm buffs




## Baldor Two Speed

Ref: 35-050-000

Made In USA

1/4 Horsepower  
(186.5 watts)

- Weight: 16 Kg
  - Industrial quality
  - Includes 2 fine spindles
  - 2 speeds 1500 rpm or 3000 rpm
  - Smooth design, totally enclosed
  - Manual thermal overload protection
  - Heavy casing assures vibration free operation
- Size: 460mm (with spindles) x 180mm deep x 185mm high



## TAPERED SPINDLES & ACCESSORIES

### Generic Brands

- 35-330-000 10mm Left
- 35-335-000 10mm Right
- 35-340-000 12mm Left
- 35-345-000 12mm Right
- 35-350-000 16mm Left
- 35-355-000 16mm Right



### DG Lathes

- 35-035-001 Right
- 35-035-002 Left
- 35-035-003 Wheel Centre
- 35-035-004 Extractor



### Baldor & Faro

- 35-050-001 Left
- 35-050-002 Right
- 35-050-003 Bur Chuck



### Abbott & Ashby

- 35-036-001 Left
- 35-036-002 Right

measure diameter of the shaft on the lathe before ordering.

## Lathe Wood Handy Chuck

To hold 3/32" shank tools & brushes on tapered spindle. Will fit both left and right hand side spindles.

Ref: 31-345-000

Weight: 250g



This end fits on spindle.

## Extractor & Lathe Units By



### Polini Unit

Ref: 45-333-000



Weight 12kg

This ultra compact single unit is ideal for work shops where space is at a minimum. It features a single right hand spindle with a speed of 2800rpm, extractor motor is 14kW providing 320m<sup>3</sup>/h extraction capacity.

### Single Side Unit

Ref: 45-335-000

Weight 26kg

Size: 440mm x 350mm x 450mm high.



Both Elma Single Side and Double Side Extractors feature:

- High powered **480m<sup>3</sup>/h** extraction fan at each work station (Independantly switched).
- 2 speed (1400/2800rpm), 0.22kW motor (Independantly switched).
- Bright flourescent illumination over each work station (independantly switched)

### Double side Unit



Ref: 45-365-000


Weight 38kg

Size: 440mm x 350mm x 450mm high.

- Soft screen covers over extraction points with easy lock, slide out filter drawers

## Black Plastic Polishing Hood

Ref: 35-420-000



Aerodynamic design for maximum collection of dust. Designed for operator convenience. Compact design allows use in a confined space. Put small amount of water in tray base, to stop dust being recirculated. Weight: 300g

Size: 250mm high x 220mm wide x 260mm deep.

## Single Side Dust Extractor

Ref: 45-150-000



This powerful single side dust extractor is ideal for smaller workshops or retail stores. Features include:

- ~ Independant switches for extractor and flourescent light
- ~ Heavy particle recovery drawer.
- ~ Fine particle/dust recovery bag.
- ~ Welded steel sheet construction
- ~ Rust resistant paint and textured enamel finish. Can be mounted for left or right hand operation.

Dimensions: 320 x 560 x 520mm high. Weight: 28Kg

## Compact Extractor with Lathe

Ref: 45-345-000 Made in Italy.

This compact dust extractor is ideal for the smaller work-



shop or retail jeweller. A single speed polishing lathe, and effective exhaust fan are all included in the one unit. Features;

- fan motor 0.5 hp with 120m<sup>3</sup>/h suction power
- 6watt flourescent light
- Easy access dust recovery draw
- Compact size: 660 wide x 400 deep x 500mm high. Weight: 35Kg

## Compact Dust Extractor



Ref: 45-355-000

Made in Italy

The Double side polisher/extractor has been designed for workshops where space is limited. The extractor motor and polishing motor are built-in and supplied with spindles and spindle extractors for quick easy replacement of your mop. Both sides have a clear removable Plexiglas screen, Illumination and removable easy-clean grate over the extraction port. An emergency stop switch is fitted to the front. .5 Hp motor provides 800m<sup>3</sup>/h extraction power. Dimensions: 645 x 435 x 435mm high. Weight; 28kg

## Dust Extraction Bench

DG - Two Station Ref: 45-400-000



-Made in Italy.

Bench model with two working places allowing two people to work at the same time on different materials. Made from electric welded steel sheet, rustproof paint and textured enamel finish.

- Two suction hoods with 6 watt neon lights;
- Two 0.13hp fans with 220 m<sup>3</sup>/h suction power each;
- Two drawers for dust recovery located in base;
- Four drawers for storage of polishing materials;
- Weight: 75Kg;
- Dimensions: 1320 x 550 x 1450mm high.
- Height to top of bench: 860mm

## Dust Extraction Bench

Bailo - Two Station Ref: 45-410-000



Weight:  
80Kg

This well priced bench extractor provides 1200m<sup>3</sup>/h suction to both work stations from a single 0.5Hp motor. Features include:

- Sturdy steel construction
- Three central drawers
- Solid laminex timber top
- Timber foot rest.
- Each work station has an independantly operated flourescent light, suction grate and clear plastic shield.

Dimensions 1100mm wide x 600mm deep x 1170mm high  
Height to top of bench - 810mm

**Bailo Single Station Extraction Bench is available by special order Ref: 45-310-000**

## Vision Two Station Extraction Bench by Bailo

Ref: 45-411-000

This quality Itailan made unit is built for two seated workstations

Features include:

- Sturdy steel construction
- Solid laminex timber top
- Timber foot rest
- Enclosed clear shield with slide opening on both left and right sides
- Three central drawers
- Each work station has an independantly operated flourescent light, suction grate, clear plastic shield and sliding plastic work trays
- Emergency stop device
- 0.5 Hp extractor motor on each side provide 1200 m<sup>3</sup>/h suction power

Dimensions: 1310mm wide x 630mm deep x 1250mm high - Bench top 820mm high




Special Order

Weight 92Kg

## Dust Extracton Bench Single Station

-Made in Italy by DG Ref: 45-300-000

- All steel construction
- Dust recovery drawer
- Clear plastic front visor
- High suction
- Two storage drawers
- Rubber covered foot rest
- Fits any size polishing motor
- Suction hood with 6 watt flourescent light
- 0.13Hp aspirator with 80m<sup>3</sup>/h suction power
- Dimensions: 810mm wide x 550mm deep x 1450mm high
- Height to top of bench: 860mm



Special Order

-Weight: 45Kg